

Product Easy Clean Washable Matt  
 Revision date 20 July 2022  
 Revision 1



**Safety Data Sheet (SDS)**  
 according to Regulation (EC) No. 1907/2006

---

**Section 1: Identification of the substance/mixture and of the company/undertaking**

---

**1.1 Product identifier**

<b>Product name</b>	<b>Easy Clean Washable Matt</b>
<b>Other means of identification</b>	No information available.

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

<b>Identified uses</b>	Paint or paint related material.
<b>Uses advised against</b>	Any other purpose.

**1.3 Details of the supplier of the safety data sheet**

<b>Supplier</b>	FSW Coatings Virginia County Cavan Ireland Tel: Tel: 353 49854 7209 info@fsw.ie
<b>Contact person</b>	

**1.4 Emergency telephone number**

<b>Emergency telephone</b>	+ 353 49854 7209 (Between 0900 and 1700 hrs Monday-Friday)
----------------------------	--

---

**Section 2: Hazards identification**

---

**2.1 Classification of the substance or mixture**

<b>Classification (EC 1272/2008)</b>	
Physical and chemical hazards	Not classified
Human health	Not classified
Environment	Not classified

**2.2 Label elements**

<b>Contains</b>	Not applicable
<b>Label in accordance with (EC) no. 1272/2008</b>	No pictogram required
<b>Signal word</b>	No Signal Word
<b>Hazard statements</b>	No hazard statements required
<b>Precautionary statements</b>	No precautionary statements required
<b>EUH statements</b>	EUH208 Contains 1,2-benzisothiazol-3(2H)-one 1,2-benzisothiazolin-3-one and reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one. May produce an allergic reaction. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

**2.3 Other hazards**

None known.

**Section 3: Composition/information on ingredients****3.1 Substance**

Not applicable.

**3.2 Mixtures**

Name	Product identifier	Regulation (EC) No 1272/2008	%
titanium dioxide	CAS-No.: 13463-67-7 EC No.: 236-675-5		10-20%
Talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )	CAS-No.: 14807-96-6 EC No.: 238-877-9		1-5%
diiron trioxide	CAS-No.: 1309-37-1 EC No.: 215-168-2		0.1-0.9%
2-(2-butoxyethoxy)ethanol	CAS-No.: 112-34-5 EC No.: 203-961-6 REACH Reg No.: 01-2119475104-44-XXXX	Eye Irrit.2A - H319	0.1-0.9%
1,2-benzisothiazol-3(2H)-one 1,2-benzisothiazolin-3-one	CAS-No.: 2634-33-5 EC No.: 220-120-9	Acute Tox 4 - H302, Skin Irrit.2 - H315, Skin. Sens 1 - H317, Eye Dam. 1 - H318, Aquatic Acute 1 - H400	<0.1%
Formaldehyde 100%	CAS-No.: 50-00-0 EC No.: 200-001-8	Acute Tox 3 - H301, Acute Tox 2 - H310, Skin Corr. 1B - H314, Skin. Sens 1 - H317, Acute Tox 3 - H331, Muta. 2- H341, Carc. 1B - H350	<0.1%
reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one	CAS-No.: 55965-84-9 EC No.:	Acute Tox 3 - H301, Acute Tox 2 - H310, Skin Corr. 1B - H314, Skin. Sens 1 - H317, Acute Tox 3 - H331, Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410, Acute Tox 2 - H330	<0.1%

The full text for all hazard statements are displayed in section 16.

**Composition comments**

The data shown are in accordance with the latest EC Directives.

Formaldehyde: Specific Concentration Limits = Eye Irrit. 2; H319: 5 % ≤ C < 25 %, STOT SE 3; H335: C ≥ 5 %, Skin Corr. 1B; H314: C ≥ 25 %, Skin Irrit. 2; H315: 5 % ≤ C < 25 %, Skin Sens. 1; H317: C ≥ 0,2 %.

1,2-benzisothiazol-3(2H)-one 1,2-benzisothiazolin-3-one - SCL: Skin Sensitisation 1; H317: C > or = 0,05 %; M factor: M=10.

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) - SCLs: Eye Damage 1: C > or = 0,6 %; Eye Irritation 2; H319: 0,06 % < or = C < 0,6 %; Skin Corrosion 1C: C > or = 0,6 %; Skin Irritation 2; H315: 0,06 % < or = C < 0,6 %; Skin Sensitisation 1A: C > or = 0,0015 %; M factors: M=100, M(Chronic)=100.

**Section 4: First aid measures****4.1 Description of first aid measures****General information**

Provide general first aid, rest, warmth and fresh air. As a general rule, in case of doubt or if symptoms persist, always call a doctor.

**Inhalation**

Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort or breathing difficulties develop.

**Ingestion**

Rinse mouth out and then drink plenty of water. Seek medical attention.

**Skin contact**

Remove affected person from source of contamination. Wash exposed area with soap and water. Get medical attention if irritation develops or persists.

**Eye contact**

Remove contact lenses if present and easy to do so. Hold eye lids open. Rinse with a gentle stream water for at least 15 minutes. Seek medical attention.

**4.2 Most important symptoms and effects, both acute and delayed****General information**

The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

**Inhalation**

Prolonged inhalation of fog or mist may be irritating to nose and throat.

**Ingestion**

Prolonged exposure to product may cause irritation to lining of the mouth.

**Skin contact**

May cause an allergic skin reaction.

**Eye contact**

May cause temporary eye irritation.

**4.3 Indication of any immediate medical attention and special treatment needed****Notes to the physician**

Treat symptomatically.

---

**Section 5: Firefighting measures**


---

**5.1 Extinguishing media**

<b>Extinguishing media</b>	This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.
<b>Unsuitable extinguishing media</b>	High volume water jet.

**5.2 Special hazards arising from the substance or mixture**

<b>Hazardous combustion products</b>	During fire, gases hazardous to health may be formed.
<b>Unusual fire &amp; explosion hazards</b>	No unusual fire or explosion hazards noted.
<b>Specific hazards</b>	In the event of damage to packaging, floors may become slippery, avoid falls.

**5.3 Advice for firefighters**

<b>Special fire fighting procedures</b>	Avoid breathing fire vapours. Keep up-wind to avoid fumes. Fight advanced or massive fires from safe distance or protected location. Ventilate closed spaces before entering them. Containers close to fire should be removed immediately or cooled with water if safe to do so.
<b>Protective equipment for firefighters</b>	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

---

**Section 6: Accidental release measures**


---

**6.1 Personal precautions, protective equipment and emergency procedures**

<b>For non-emergency personnel</b>	Wear protective clothing as described in Section 8 of this safety data sheet.
<b>For emergency responders</b>	Follow safe handling advice and personal protective equipment recommendations for normal use of product.

**6.2 Environmental precautions**

<b>Environmental precautions</b>	Avoid discharge in to drains and water courses.
----------------------------------	---

**6.3 Methods and material for containment and cleaning up**

<b>Spill clean up methods</b>	Stop leak if possible without risk. Wear necessary protective equipment. Absorb spillage with non-combustible, absorbent material. Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled container. Wash thoroughly after dealing with a spillage.
-------------------------------	---

**6.4 Reference to other sections**

<b>Reference to other sections</b>	See section 1 for emergency contact. For personal protection, see section 8. For waste disposal, see section 13.
------------------------------------	--

---

**Section 7: Handling and storage**


---

**7.1 Precautions for safe handling**

<b>Handling</b>	Read and follow manufacturer's recommendations. Observe occupational exposure limits and minimise the risk of inhalation of vapours and mist. Do not eat, drink or smoke when using the product. Avoid spilling, skin and eye contact. Ensure adequate ventilation. Use proper personal protection when handling (refer to Section 8).
-----------------	--

**7.2 Conditions for safe storage, including any incompatibilities**

<b>Storage precautions</b>	Store in tightly closed original container in a cool, dry and well-ventilated place. Keep upright, locked up and out of reach of children.
<b>Storage class</b>	Unspecified storage.

**7.3 Specific end use(s)**

<b>Specific end use(s)</b>	The identified uses for this product are detailed in Section 1.
<b>Usage description</b>	Use only according to directions. Replace and tighten cap after use.

## Section 8: Exposure controls/Personal protection

### 8.1 Control parameters

Component	STD	TWA (8 Hrs)		STEL (15mins)		Notes
Talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )	OEL		10 mg/m <sup>3</sup>			
Talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )	OEL		0.8 mg/m <sup>3</sup>			
titanium dioxide	OEL		10 mg/m <sup>3</sup>			
titanium dioxide	OEL		4 mg/m <sup>3</sup>			
diiron trioxide	OEL		5 mg/m <sup>3</sup>		10 mg/m <sup>3</sup>	
diiron trioxide	OEL		10 mg/m <sup>3</sup>			
diiron trioxide	OEL		4 mg/m <sup>3</sup>			
2-(2-butoxyethoxy)ethanol	OEL	10 ppm	67.5 mg/m <sup>3</sup>	12 ppm	101.2 mg/m <sup>3</sup>	IOELV
Formaldehyde 100%	OEL	0.3 ppm	0.37 mg/m <sup>3</sup>	0.6 ppm	0.738 mg/m <sup>3</sup>	BOELV, Carc 1B, Sens, Limit value 0.5ppm/0.62mg/m <sup>3</sup> for the healthcare, funeral and embalming sectors until 11 July 202421.

#### Ingredient comments

Ireland, Occupational Exposure Limits 2021.

### 8.2 Exposure Controls

#### Protective equipment



#### Engineering measures

Observe occupational exposure limits and minimize the risk of inhalation of dust. Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

#### Respiratory equipment

No specific recommendation made, but respiratory protection must be used if the general level exceeds the recommended occupational exposure limit. Use type ABEK (EN 14387) respirator cartridges. Change filters frequently Consult manufacturer for specific advice.

#### Hand protection

Use suitable protective gloves if there is a risk of skin contact. Consult manufacturer for specific advice. Suggested material: Nitrile rubber gloves. Layer thickness: 0.11mm. Breakthrough time: >480 min.

#### Eye protection

Use equipment for eye protection tested and approved under appropriate government standards such as EN 166(EU).

#### Other protection

Wear appropriate clothing to prevent any possibility of skin contact. The selected clothing must satisfy the European norm standard EN 943.

#### Hygiene measures

Wash hands and / or face before breaks and at the end of the shift. Do not eat, drink, or smoke while using this product. Avoid contact with skin, eyes and clothing.

#### Process conditions

Use only according to directions. Ensure that eye flushing systems and safety showers are located close by in the work place.

## Section 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance	Viscous liquid.
Colour	White opaque.
Odour	Faint odour.
Odour threshold - lower	No information available as testing has not been completed.
Odour threshold - upper	No information available as testing has not been completed.
pH-Value, Conc. Solution	7.5 - 9.0
pH-Value, Diluted solution	No information available as testing has not been completed.

<b>Melting point</b>	May start to solidify at the temperatures below 2°C. This is based on data for the following ingredient: water
<b>Initial boiling point and boiling range</b>	42°C
<b>Flash point</b>	Not applicable.
<b>Evaporation rate</b>	Not applicable.
<b>Flammability state</b>	Non flammable
<b>Flammability limit - lower(%)</b>	No information available as testing has not been completed.
<b>Flammability limit - upper(%)</b>	0%
<b>Vapour pressure</b>	Highest known value: 3.2 kPa (23.8 mm Hg) (at 20°C) (water). Weighted average: 3.12 kPa (23.4 mm Hg) (at 20°C)
<b>Vapour density (air=1)</b>	Highest known value: 7.5 (Air = 1) (isobutyric acid, monoester with 2,2, 4-trimethylpentan-1,3-diol).
<b>Relative density</b>	1.30 +/- 0.20
<b>Bulk density</b>	No information available as testing has not been completed.
<b>Solubility</b>	Partially soluble in cold water.
<b>Decomposition temperature</b>	Stable under normal handling and storage conditions
<b>Partition coefficient; n-Octanol/Water</b>	No information available as testing has not been completed.
<b>Auto ignition temperature (°C)</b>	Not applicable.
<b>Viscosity</b>	Kinematic (40°C): >0.21 cm <sup>2</sup> /s
<b>Explosive properties</b>	Not classified as explosive.
<b>Oxidising properties</b>	The product does not meet the criteria to be classified as oxidising.

## **9.2 Other information**

<b>Molecular weight</b>	No information available as testing has not been completed.
<b>Volatile organic compound</b>	10.00 g/litre
<b>Other information</b>	Volume solids: 33.0 +/- 1.0% Weight Solids: 47.0% +/- 1.0%

---

## **Section 10: Stability and reactivity**

---

### **10.1 Reactivity**

<b>Reactivity</b>	No specific reactivity hazards associated with this product.
-------------------	--

### **10.2 Chemical stability**

<b>Stability</b>	Stable under normal temperature conditions and recommended use.
------------------	---

### **10.3 Possibility of hazardous reactions**

<b>Hazardous reactions</b>	For information on hazardous reactions see section 10.1.
<b>Hazardous polymerisation</b>	Unknown.
<b>Polymerisation description</b>	Unknown.

**10.4 Conditions to Avoid**

**Conditions to avoid** Avoid heat, flames and other sources of ignition. Extremes of temperature and direct sunlight.

**10.5 Incompatible materials**

**Materials to avoid** Do not mix with other chemicals unless listed on directions. Strong oxidising substances.

**10.6 Hazardous decomposition products**

**Hazardous decomposition products** When heated, vapours/gases hazardous to health may be formed.

**Section 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No. 1272/2008**

**Toxicological information** No toxicological information for the overall finished product.

**Acute toxicity (Oral LD50)** No information available as testing has not been completed.  
**Acute toxicity (Dermal LD50)** No information available as testing has not been completed.  
**Acute toxicity (Inhalation LD50)** No information available as testing has not been completed.

**Serious eye damage/irritation** Product is not classified as an eye irritant.

**Skin corrosion/irritation** The product is not classified as a skin corrosion/irritation hazard.

**Respiratory sensitisation** The product is not classified as a respiratory hazard.  
**Skin sensitisation** The product is not classified as a skin sensitisation hazard.

**Germ cell mutagenicity** The product is not classified as a mutagen.

**Carcinogenicity** The product is not classified as a carcinogen hazard.

**Specific target organ toxicity - Single exposure:**  
**STOT - Single exposure** The product is not classified as a single exposure specific target organ toxin.  
**Specific target organ toxicity - Repeated exposure:**  
**STOT - Repeated exposure** The product is not classified as a repeat exposure specific target organ toxin.

**Inhalation** Prolonged inhalation of fog or mist may be irritating to nose and throat.  
**Ingestion** Prolonged exposure to product may cause irritation to lining of the mouth.  
**Skin contact** May cause an allergic skin reaction.  
**Eye contact** May cause temporary eye irritation.  
**Waste management** When handling waste, consideration should be made to the safety precautions applying to handling of the product.

**Routes of entry** Eyes, skin, ingestion or inhalation.  
**Target organs** Eyes, skin, digestive system, respiratory system.

**Aspiration hazards:** The product is not classified as an aspiration hazard.  
**Reproductive toxicity:** The product is not classified as a reproductive hazard.

Name	LD50 oral	LD50 dermal	LD50 inhalation
1,2-benzisothiazol-3(2H)-one 1,2-benzisothiazolin-3-one	597.00mg/kg Rat	>2000.00mg/kg Rat	
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-50-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)	>5000.00 Rat	>5000.00mg/kg Rabbit	
2-(2-butoxyethoxy)ethanol	3305.00mg/kg Rat	2764.00mg/kg Rabbit	
Formaldehyde 100%	>200.00mg/kg Rat >200.00mg/kg Rat		

**11.2 Information on other hazards**

**Information on other hazards** None known.

---

**Section 12: Ecological information**

---

**12.1 Toxicity**

<b>Acute toxicity - Fish</b>	No information available as testing has not been completed.
<b>Acute toxicity - Aquatic invertebrates</b>	No information available as testing has not been completed.
<b>Acute toxicity - Aquatic plants</b>	No information available as testing has not been completed.
<b>Acute toxicity - Microorganisms</b>	No information available as testing has not been completed.
<b>Chronic toxicity - Fish</b>	No information available as testing has not been completed.
<b>Chronic toxicity - Aquatic invertebrates</b>	No information available as testing has not been completed.
<b>Chronic toxicity - Aquatic plants</b>	No information available as testing has not been completed.
<b>Chronic toxicity - Microorganisms</b>	No information available as testing has not been completed.
<b>Ecotoxicity</b>	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
<b>Eco toxicological information</b>	Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008.

**12.2 Persistence and degradability**

<b>Degradability</b>	The degradability of the product has not been stated.
<b>Biological oxygen demand</b>	No information available as testing has not been completed.
<b>Chemical oxygen demand</b>	No information available as testing has not been completed.

**12.3 Bioaccumulative potential**

<b>Bioaccumulative potential</b>	No data available on bioaccumulation.
<b>Bioaccumulation factor</b>	No information available as testing has not been completed.
<b>Partition coefficient; n-Octanol/Water</b>	No information available as testing has not been completed.

**12.4 Mobility in soil**

<b>Mobility</b>	Partially soluble in cold water.
-----------------	----------------------------------

**12.5 Results of PBT and vPvB assessment**

<b>Results of PBT and vPvB assessment</b>	The product does not contain any PBT or vPvB Substances.
---	--

**12.6 Endocrine disrupting properties**

<b>Endocrine disrupting properties</b>	The product does not contain any substances with endocrine disrupting properties at a concentration above or equal to 0.1%.
--	---

**12.7 Other adverse effects**

<b>Other adverse effects</b>	None known.
------------------------------	-------------

---

**Section 13: Disposal considerations**

---

<b>Waste management</b>	When handling waste, consideration should be made to the safety precautions applying to handling of the product.
-------------------------	--

**13.1 Waste treatment methods**

<b>Disposal methods</b>	Dispose of waste and residues in accordance with local authority requirements, and in accordance with all local, national and international regulations. For waste disposal, use a licensed industrial waste disposal agent.
-------------------------	--

---

**Section 14: Transport information**

---

**14.1 UN number or ID number**

<b>UN no. (ADR)</b>	Not applicable.
<b>UN no. (IMDG)</b>	Not applicable.

UN no. (IATA) Not applicable.

#### 14.2 UN proper shipping name

ADR proper shipping name Not applicable.  
 IMDG proper shipping name Not applicable.  
 IATA proper shipping name Not applicable.

#### 14.3 Transport hazard class(es)

ADR class Not applicable.  
 IMDG class Not applicable.  
 IATA class Not applicable.

Transport labels Not applicable

#### 14.4 Packing group

ADR/RID/ADN packing group Not applicable.  
 IMDG packing group Not applicable.  
 IATA packing group Not applicable.

#### 14.5 Environmental hazards

ADR No  
 IMDG No  
 IATA No

#### 14.6 Special precautions for user

EMS Not applicable.  
 Emergency action code Not applicable.  
 Hazard no. (ADR) Not applicable.  
 Tunnel restriction code Not applicable.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

---

### Section 15: Regulatory information

---

#### 15.1 Safety, health and environmental regulations/Legislation specific for the substance or mixture

**EU legislation** Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. The UN Globally Harmonized System (GHS) Safety Data Sheet format (Annex IV) is implemented as Annex II of REACH EU No 830/2015 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

**Approved code of practice** 2020 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-2015) and the Safety, Health and Welfare at Work (Carcinogens) Regulations (2001-2019)

#### 15.2 Chemical safety assessment

**Chemical safety assessment** No chemical safety assessment has been carried out.

---

### Section 16: Other information

---

**General information** This Safety Data Sheet is in accordance with Reach Regulation (EC) No 453/2010.  
**Revision comments** This is a first issue.  
**Revision date** 20 July 2022  
**Revision** 1  
**Safety data sheet status** Approved.

#### Hazard statements in full

**H319** Causes serious eye irritation.



<b>H315</b>	Causes skin irritation.
<b>H412</b>	Harmful to aquatic life with long lasting effects.
<b>H317</b>	May cause an allergic skin reaction.
<b>H314</b>	Causes severe skin burns and eye damage.
<b>H400</b>	Very toxic to aquatic life.
<b>H302</b>	Harmful if swallowed.
<b>H318</b>	Causes serious eye damage.
<b>H331</b>	Toxic if inhaled.
<b>H372</b>	Causes damage to organs through prolonged or repeated exposure .
<b>H410</b>	Very toxic to aquatic life with long lasting effects.
<b>H301</b>	Toxic if swallowed.
<b>H311</b>	Toxic in contact with skin.
<b>H341</b>	Suspected of causing genetic defects .
<b>H350</b>	May cause cancer .
<b>H351</b>	Suspected of causing cancer .
<b>H373</b>	May cause damage to organs through prolonged or repeated exposure .
<b>H310</b>	Fatal in contact with skin.
<b>H330</b>	Fatal if inhaled.
<b>EUH208</b>	Contains 1,2-benzisothiazol-3(2H)-one 1,2-benzisothiazolin-3-one and reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one. May produce an allergic reaction.
<b>EUH211</b>	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

**Disclaimer**

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.